



### MISSISSIPPI STATE DEPARTMENT OF HEALTH

## BUREAU OF PUBLIC WATER SUPPLY

# CALENDAR YEAR 2009 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

	Culkin Water District Public Water Supply Name
	0750002
	List PWS ID #s for all Water Systems Covered by this CCR
consu	ederal Safe Drinking Water Act requires each <i>community</i> public water system to develop and distribute mer confidence report (CCR) to its customers each year. Depending on the population served by the published, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to stomers upon request.
Pleas	Answer the Following Questions Regarding the Consumer Confidence Report
mii	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper On water bills Other
	Date customers were informed:/
хх	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
	Date Mailed/Distributed 06 /23/ 2010
	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of Newspaper:
	Date Published://
	CCR was posted in public places. (Attach list of locations)
	Date Posted: / /
	CCR was posted on a publicly accessible internet site at www
CER	TIFICATION
system and co the M	by certify that a consumer confidence report (CCR) has been distributed to the customers of this public water in the form and manner identified above. I further certify that the information included in this CCR is true breet and is consistent with the water quality monitoring data provided to the public water system officials bississippi State Department of Health, Bureau of Public Water Supply.
Nofife	Vilm Hunn Gennal Mage. 6/23/2010 Title (President, Mdyor, Owner, etc.) Date
V	Wait Commeted Rame to Rungar of Public Water Supply P. O. Boy 1700/100/1904. MS 39215

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1760/Jackson, MS 39215 Phone: 601-576-7318

570 East Woodrow Wilson Post Office Box 1700 Jackson, MS 39215-1700 601-576-8090 1-866-HLTHY4U www.HealthyMS.com

Equal Opportunity in Employment/Services

DEGETYER WATER SUPE

#### 2009 Annual Drinking Water Quality Report Culkin Water District PWS ID#: 0750002 June 2010

2010 JUN -8 AM 9:5!

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Cockfield Formation Aquifer. We supplement our needs from the City of Vicksburg.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Culkin Water District have received moderate susceptibility rankings to contamination. The wells for the City of Vicksburg have received lower to higher susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact John Gunn at 601-636-9124. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the second Monday of each month at 5:30 PM at the District office located at 2681 Sherman Avenue, Vicksburg.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during the period of January 1st to December 31st, 2009. In cases where monitoring wasn't required in 2009, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Culkin – P	WS ID	#: 0750	002 Т	EST RESU	LTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination

8. Arsenic	N	2006*	1	No Range	ppb	n/a	50	Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes
10. Barium	N	2006*	.002	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2006*	2	No Range	Ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2005/07*	.2	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride**	N	2006*	1.1	No Range	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2005/07*	1	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2006*	3	No Range	ppb	50	50	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Disinfection	n By-	-Products	5					
81. HAA5	N	2009	10	No Range	ppb	0	(	By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes]	N	2009	30	No Range	ppb	0	8	By-product of drinking water chlorination.
Chlorine	N	2009	1.16	1.04 1.35	ppm	0	MDRL =	4 Water additive used to control

<sup>\*</sup> Most recent sample. No sample required for 2009. \*\* Fluoride level is routinely adjusted to the MS State Dept of Health's recommended level of 0.7 - 1.3 mg/l.

Contaminant	Violation	Date	Laurel	Deves of Detects	T 11-11	1401.0	· · · · · · · · · · · · · · · · · · ·		T
Contaminant	Y/N	Collected	Level Detec ted	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL		Likely Source of Contamination
Inorganic	Contam	inants							
8. Arsenic	N	2006*	1.1	No Range	ppb	n/a	50	Erosion of natural de orchards; runoff from electronics productio	glass and
10. Barium	N	2006*	.015	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits	
13. Chromium	N	2006*	2	No Range	ppb	100	100	Discharge from steel erosion of natural de	and pulp mills; posits
14. Copper	N	2005/07*	.1	0	ppm	1.3	AL=1.3	Corrosion of househo systems; erosion of r leaching from wood p	atural deposits;
16. Fluoride**	N	2006*	1.15	No Range	ppm	4	4	Erosion of natural de additive which promo discharge from fertiliz factories	tes strong teeth;
17. Lead	N	2005/07*	2	0	ppb	0	AL=15	Corrosion of househousehousehousehousehousehousehouse	old plumbing atural deposits
21. Selenium	N	2006*	.8	No Range	ppb	50	50	Discharge from petro refineries; erosion of discharge from mines	leum and metal natural deposits;

Disinfection	ı By-l	Products						
81. HAA5	N	2008*	13.25	12 – 14	ppb	0	60	By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes]	N	2008*	39.25	38 - 41	ppb	0	80	By-product of drinking water chlorination.
Chlorine	N	2009	1.99	1.97 – 2.59	ppm	0	MDRL = 4	Water additive used to control microbes

<sup>\*</sup> Most recent sample. No sample required for 2009.

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Culkin Water District works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

<sup>\*\*</sup> Fluoride level is routinely adjusted to the MS State Dept of Health's recommended level of 0.7 - 1.3 mg/l.

## 2009 Annual Drinking Water Quality Report Culkin Water District PWS ID#: 0750002 June 2010

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant gool is to provide you with a safe and dependable supply of direking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed for ensuring the quality of your water. Our vater source is from wells drawing from the Cockfield Formalism Aquifer. We supplement our needs from the City of Vicksburg.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. The general susceptibility tearwings assigned to each wait of this system are provided immediately below. A report containing detailed information on how the susceptibility detailmentations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Culkin Water District have received moderate susceptibility rearrings to contamination. The wells for the City of Vicksburg have received lower to higher susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact John Gunn at 601-638-9124. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled needings. They are held on the second Monday of each month at 5:30 PM at the District office located at 2681 Sherman Avenue, Vicksburg.

Vicksbürg.

We routlinely monitor for consituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during the period of January 1<sup>th</sup> to December 31<sup>th</sup>, 2009. In cases where monitoring wasn't required in 2009, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or manifestation of the presence of animals or from human activity, microbial contaminants, such as viruses and bacteria, that may come from sevage treatment plants, septic systems, agricultural livestock operations, and widdlier, inorganic octaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, and residential uses intrinciples, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chamical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processors and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which are abstrally occurring or be the result of oil and gas production and mining activities. In order to ensure that tay where the state of the production of the production and mining activities. In order to ensure that tay was the state of the production of the production of the production of the seasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the varier poses a health risk.

in this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following deficitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Lovel (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Rosidual Disinfectant Level (MRDL) — The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Rosidual Disintectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Culkin – P			002 7	TEST RESU	LTS			
Contaminant	Violation Y/N	Date Collected		Range of Detects or # of Samples Exceeding	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination

Inorganic 8. Arsenic	N	2006*	1	No Rangu	ppb	n/a		Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes	
10. Barium	N	2006°	.002	No Range	pptn	2		Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits	
13. Chromium	N	2006*	2	No Range	Ppb	100	i I	Discharge from steel and pulp mills; erosion of natural deposits	
14. Copper	N	2005/07*	.2	0	ppm	1.3		Corrosion of household plumbing systems; crosion of natural deposits; leaching from wood preservatives	
16. Fluoride**	N	2006*	1.1	No Range	ppm	4		Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories	
17. Lead	N	2005/07*	1	0	ppb	0	1 1	Corrosion of household plumbing systems, erosion of natural deposits	
21. Selenium	N	2006*	3	No Range	ььр	50		Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from minos	
Disinfection	-,	-Product	s	No Range	ppb	1 0	r	50 By-Product of drinking water	
81. HAA5	И	2009	10	ino mange	100			disinfection.	
82. TTHM [Total	N	2009	30	No Range	ppb	0		By-product of drinking water chlorination.	
(ritialomethanes) Chlorine	N	2009	1.16	1.04 - 1.35	ppm	0	MDRL =	4 Water additive used to control microbes	

Most recent sample. No sample required for 2009.
 Fluoride level is routinely adjusted to the MS State Dept of Health's recommended level of 0.7 - 1.3 mg/t.

Contaminant	Violation Y/N	Date Collected	Level Detec ted	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG		MCL.	Likely Source of Contamination	
Inorganic	Contam	inants								
8, Arsenic	N	2006*	1.1	No Range	ррь	n/a	50	Erosion of natural or orchards; runoff fro electronics product	m glass and	
10. Barium	N	2006*	.015	No Range	bbus	2	2	Discharge of driting wastes; discharge from metal refineries; erosion of natural deposits		
13. Chromium	И	2006*	2	No Range	ppb	100	100	Discharge from ste erosion of natural d		
14. Copper	N	2005/07*	.1	0	ppm	1.3	AL=1.3	Corrosion of house systems; erosion of leaching from wood	natural deposits;	
16. Fluoride**	N	2006*	1.15	No Range	ppm	4	4	Erosion of natural of additive which pron discharge from forti factories	eposits; water totes strong teeth;	
17. Lead	N	2005/07*	2	G	ррь	o	AL=15	Corrosion of housel systems, erosion of		
21. Selenium	N	2006*	.8	No Range	ррь	50	50	Discharge from peter refineries; erosion of discharge from min	oleum and metal f natural deposits;	

Disinfection	n By-l	Products						
81. HAA5	N	2008*	13.25	12 - 14	bbp	0	60	By-Product of drinking water disinfection.
82. TTHM [Total tritralomethanes]	N	2008*	39.25	38 - 41	bbp	0	60	By-product of drinking water chlorination.
Chlorine	N	2009	1.99	1.97 - 2.59	ppm	0	MORL = 4	Water additive used to control microbes

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of load can cause seric

Lead in drinking water is primarily from materials a.

Water Association is responsible for providing high qu.

associated with service lines and home plumbing. Our
Water Association is responsible for providing high qu.

and water, but cannot control the variety of materials used
in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead
exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned
about lead in your water, you may wish to have your water tested. Information on lead in dinking water, testing methods,
and steps you can take to minimize exposure is available from the Safe Drinking Water Holline or at
http://www.ego.gw/safewstericlead. The Mississippi State Department of Health Public Health Laboratory offers lead
testing for \$10 per sample. Please contact 601.576.762 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be nisrobes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hottlen at 1-800-426-479.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIVAIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Culkin Water District works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our continunity, our way of life and our children's future.

Presorted Standard U.S. Postage Paid Vicksburg, MS Permit No. 1

Vicksburg, MS 39183 2681 Sherman Ave. Culkin Water District

Most recent sample. No sample required for 2009.
 Fluoride level is routinely adjusted to the MS State Dept of Health's recommended level of 0.7 - 1.3 mg/l.